Securing Energy for the Future

Renewable Energy in Alaska

Society of American Military Engineers

Regional Conference

Anchorage, February 27, 2007

Presented by:

Martina Dabo & David Lockard

Alaska Energy Authority



Alaska Energy Authority

- Public corporation with Alaska Industrial Development and Export Authority
- Infrastructure Owner: Anchorage-Fairbanks Intertie, Bradely Lake Hydro, Healy Clean Coal Plant.
- Rural Energy Group: Tank Farm Construction,
 Power System Repair, Alternative Energy









What we'll talk about

- Statewide Energy Issues and Planning
- Energy Efficiency
- Energy Conservation
- Hydroelectric
- Wind
- Biomass
- Geothermal
- Ocean Energy
- Solar










Climate Change



NET INCOMING SOLAR

RADIATION 240 WATT

SOLAR RADIATION THEN

PASSES THROUGH THE CLEAR ATMOSPHERE

PER M²

SOME SOLAR RADIATION
IS REFLECTED BY
THE ATMOSPHERE
& EARTH'S SURFACE

SOME OF THE INFRARED RADIATION PASSES THROUGH THE ATMOSPHERE & IS LOST IN SPACE


SURFACE GAINS MORE HEAT & INFRARED RADIATION IS EMITTED AGAIN

SOME OF THE INFRARED IS ABSORBED & RE-EMITTED BY THE GREENHOUSE GAS MOLECULES. THE DIRECT EFFECT IS THE WARMING OF THE EARTH'S SURFACE & THE TROPOSHERE

SOLAR ENERGY IS ABSORBED BY THE EARTH'S SURFACE & WARMS IT...

...& IS CONVERTED INTO HEAT CAUSING THE EMISSION OF LONGWAVE CINFRARED RADIATION BACK TO THE ATMOSPHERE


Statewide Energy Issues



- In 2001 4.8 trillion BTU of energy were produced in Alaska
- Mostly from Oil and Gas
- About 85% of the oil Alaska produces is exported
- Alaska is importing about 30% of its exported refined petroleum back

Source: UAA ISER 2003

Breakdown of "Typical Village" Power Price 38 ct/kWh



Rural Energy Plan

- Bulk Fuel
- Power Systems Upgrade
- Initiatives for Efficiency and Reliability:


Energy Efficiency and Heat Recovery


Energy Conservation

Renewable Energy

Energy Efficiency

Kokhanok: Power System Upgrade





Energy Conservation

Facilities:

- Audits
- Upgrades




Homes:

Weatherization

Bulb, Applianceand HeatingUpgrades




Hydroelectric Power Resource



Bradley Lake 120 MW


Swan Lake 20M W




Terror Lake ,22.5 MW

Tyee Lake 20MW

Design






Copyright Western Power Corporation

Small Hydroelectricity





Atka












Chitina





3,500,000 kWh per year

Wind Resource



Wind Class Areas:

- •Poor-Fair: In-Land Areas (0-16 mph)
- •Excellent: Coastal Areas, Y-K Delta, Mountaineous Terrain (17-19 mph)
- •Outstanding:Coastal Areas Mountain Ranges (18-20 mph)
- •Superb: Coastal Areas, Aleutian Islands, High Mountain Tops, Offshore (over 20 mph)

Wind Projects in Alaska

St.Paul 775kW

Total Installed Capacity 3375 kW



Toksook Bay 300kW



Selawik 260kW

20 4:14 PM

State Anemometer Loan Program

AEA provides:

- Tower kit
- Installation assistance
- Technical assistance

Community provides:

- Land use for 1 year of monitoring
- Installation assistance
- Maintenance
- Data collection



Met-Tower Kit

Met tower kit includes:

- Anemometers
- Wind vane
- Temperature sensor
- Data logger
- 100-foot tower













Location of Meteorological Towers



Data Evaluation







Wind Penetration

	Low	Medium	High
Peak Instantaneous	<50%	50 – 100%	100 – 400%
Annual Average	<20	20 – 50%	50 – 150 %
Commercial status	Fully utilized	Well proven Fully commercial Multiple use	System prototype Operating
Examples	Denmark, Greece	San Clemente, CA Kotzebue, Ak Coyaique, Chile	St. Paul Wales Ak


Low Penetration



Medium Penetration



High Penetration



Wind Farm Construction

On March 29, 1999 Kotzebue Electric Association installed another AOC 15/50 wind turbine, one of a batch of seven that went up this past winter, more than tripling the size of the wind farm. Preparation for putting up these turbines took months.

All pieces needed to be transported to Kotzebue and the wind farm site and put together. Pilings were anchored deep in the ground to hold the towers. Control houses were built and electric wiring and controls installed.



Source: KEA



The bolts are tightened and the connection checked between the rotor blade assembly and the main turbine housing. Putting up the towers is an all-day process, in part because of the need to check and double-check items that would be difficult to fix once the turbine is lifted into place.



Crew members attach heavy nylon straps from the crane assembly to the turbine.



Lifting the tower



The tower is connected to a special hinge that rotates it onto its piling foundations as it is lifted



The tower is slowly lifted by the crane. Crew members stand watch at different angles to help direct the crane operator in keeping the tower straight



The tower is nearly vertical.



After the tower is vertical, the crew rushes in to secure it to the pilings. Here Steve Apgar (left) and Philip Stalker work on one piling. The process involves some welding and a lot of muscle to secure huge bolts with wrenches that are several feet long.



Climb to release the hoist straps



Removing the nylon straps to release the tower from the crane.


The tower stands on its own! This turbine will produce about 120,000 kilowatt-hours each year, about the amount of electricity used by 20 homes in Kotzebue. It will save about 9,000 gallons of fuel each year.



Biomass



Bioenergy Production vs Alaska Demand



Biomass Program

- Wood (heat, power, liquid fuels)
- Municipal Waste (heat and power)
- Fish oil (biodiesel and power)

Wood





Photo: UAF Archives

Northern Commercial, Fairbanks





Alaska Pulp Co., Sitka 25 MW

Ketchikan Pulp Co., 38 MW

Wood Energy Technologies

- Residential ("stick") wood heating
- Stick-wood with thermal storage
- Pelletized wood fuel
- Chip/residuals boilers and heaters
- Gasification & pyrolysis
- Charcoal

Wood Energy Projects

Dot Lake


- Stick-wood fuel with thermal energy storage
- Slab wood from local sawmills
- Serves 9 residences with heat and hot water

Craig

- Sawmill residuals (chips, sawdust, shavings)
- High School and community pool
- Construction starts spring 2007

Dot Lake










Landfill Gas to Energy

Anchorage



Can provide about 2.5 MW – enough for 2,500 homes
Energy equivalent to 1.9 million gallons of diesel per year

Fish Oil & Biodiesel

- By-product of seafood processing
- •8 million gallons produced annually
 - Most is used on-site as process boiler fuel
 - Some export sales to overseas markets
- Potential for 21 million gallons more
 - Unprocessed fish processing wastes
 - •Full recovery is problematic




Projects:

- "Neat" (raw) fish oil as diesel engine fuel
 - UniSea at Unalaska/Dutch Harbor using over 1 million gallons as engine fuel annually
 - Now widespread use within fishing industry
- •Fish oil as biodiesel production feedstock
 - AEA & National Park Service
 - University of Alaska at Fairbanks

Geothermal



Solar




Construction Issues in Alaska

The Environment















Wildlife



Transportation



Wrap-Up

Thank you

Martina Dabo
Wind Program Manager
(907)269-3027
mdabo@aidea.org

David Lockard

Geothermal & Ocean Program Manager

(907)269-4541

dlockard@aidea.org

www.akenergyauthority.org







